



The Commercial Division of USFloors Inc.  
3580 Corporate Drive, Dalton Georgia  
877-292-4044 www.usfcontract.com

## WOCA Oil Refreshers\*



**Oil Refresher should not be used more than four times per year as this may create unwanted build-up. Refer to the USFContract commercial matrix for suggested use.**

WOCA Oil Refresher is used for regular cleaning and maintenance of oiled wood floors. Oil Refresher, Natural is typically used for natural oiled and color oiled floors and Oil Refresher, White for white oiled wood floors.

### WOCA MAINTENANCE INSTRUCTIONS - OIL REFRESHER

For maintaining oil finished floors

Oil Refresher is an oil/soap combination used for regular cleaning and maintenance of oiled wood floors. Oil Refresher, available in natural and white, combines efficient cleaning with re-oiling as additional oil penetrates into the wood, forming a protective layer within the surface of the floor. This means longer wear before re-oiling. Floors requiring more frequent cleaning should be cleaned with WOCA Soap (Natural Soap pre-mix or two bucket regimen with the Master Soap for commercial areas) with intermittent use of Oil Refresher up to four times per year.

- Clean your floor with WOCA Oil Refresher only when dirty.
- The Oil Refresher solution not only cleans and nourishes oiled floors but also forms a protective film on the floor after drying, making future cleaning quicker and easier.
- Never apply Oil Refresher to an oiled floor until at least 36 hours after the last oil application.

#### Mixing Instructions:

- Two gallons of lukewarm water + 6.4 oz. ( $\frac{3}{4}$  cup) of Oil Refresher. (UV-oil)
- Three gallons of warm water + 9.6 oz. ( $1 \frac{1}{4}$  cups) of Oil Refresher.
- Four gallons of warm water + 12.8 oz. ( $1 \frac{1}{2}$  cups) of Oil Refresher.

#### Cleaning Instructions

1. If too much Oil Refresher is used in solution, footprints may show on the floor even after drying. To remove excess Oil Refresher, clean the floor with WOCA Wood Cleaner.
2. Use a good quality mop, such as the WOCA Swep Mop, which has no loose ends. Remember that a wood floor should be DAMP mopped.
3. Sweep or vacuum the floor before cleaning with WOCA Oil Refresher.

4. Shake the container well before use
5. In one bucket, mix a solution of Oil Refresher and lukewarm water. Pour lukewarm water in a second bucket to be used as rinse water.
6. Dip a clean mop in the oil refresher solution. Wring the mop. The mop head should retain enough moisture to dampen a 4' x 8' section of flooring. Spread the solution across the work area, then mop the damp area along the direction of the floor boards. For very dirty spots, let the solution set for a few minutes, then come back to the spot and scrub with a dish scrubbing brush. Continue mopping until the mop head becomes dirty or is not moist enough to thoroughly clean.
7. Dip the mop in the rinse water bucket. Slosh around very well. Wring the mop head as thoroughly dry as possible. This will remove dirty water and keep the mop head clean. Do not rinse the previously cleaned floor.
8. Dip the mop in the Oil Refresher solution and wring. Clean the next section. If water is still visible on the floor after 2-3 minutes, the mop was too wet. Wipe up excess water and reduce moisture in the mop.
9. Repeat the process until the entire floor has been cleaned.
10. Leave the floor to dry for at least two hours before use.
  - Coverage: 1500-2000 sqft. /liter.

**\*USFContract sends one 1 liter complimentary with the initial order shipment to be used to refresh the flooring after installation, installers must use this upon completing installation**

Order link: <http://www.1877floorguy.com/wooilre1.html> also available through USFContract.



**WoodCareUSA LLC**  
15 Plantation Drive Atlanta, GA 30324  
800-242-8160  
[sales@woodcareusa.com](mailto:sales@woodcareusa.com)  
[www.woodcareusa.com](http://www.woodcareusa.com)

